

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
MACRO	Nikon AF Micro 60mm f/2.8D		18211 Compact port base	18301 Compact port 30		
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F		18701 Macro port 60	81301 CMC-1 (MM ¹ : 1.4 : 1 WD ² : 4 - 73mm)	
					81302 CMC-2 (MM ¹ : 1.2 : 1 WD ² : 11 - 123mm)	
					87303+ HOYA+2 Close-up diopter EMWL Set #3 *for DX camera	
			18211 Compact port base	18305 Compact port 30 with M67 thread		
	Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR	19129 N85VR-F	18211 Compact port base	18305 Compact port 30 with M67 thread	81302 CMC-2 (MM ¹ : 2.1 : 1 WD ² : 57 - 125mm)	
MACRO			21110 Extension ring 10 with screws	18701 Macro port 60	81201 SMC-1 (MM ¹ : 2.5 : 1 WD ² : 51 - 96mm)	
					81202 SMC-2 (MM ¹ : 3.9 : 1 WD ² : 23 - 37mm)	
	Nikon AF Micro 105mm f/2.8D		18540 Compact port base+ Compact port extension 40	18301 Compact port 30		
			18211+18520 Compact port base+ Compact port extension 20	18302 Compact port 50		
	Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED	19122 N105VR-F		18702 Macro port 87	81201 SMC-1 (MM ¹ : 2.5 : 1 WD ² : 53 - 95mm)	
			21130 Extension ring 30 with lock	18701 Macro port 60	81202 SMC-2 (MM ¹ : 4.2 : 1 WD ² : 24 - 38mm)	
MACRO			18211 Compact port base	18306 Compact port 50 with M67 thread	87301 EMWL Set #1	
	Sigma 50mm F2.8 EX DG Macro		18211+18520 Compact port base+ Compact port extension 20	18303 Compact port 15		

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
MACRO	Sigma 70mm F2.8 EX DG Macro		18211+18550 Compact port base Compact port extension 50	18301 Compact port 30		
			18211+18530 Compact port base Compact port extension 30	18302 Compact port 50		
	Sigma 105mm F2.8 EX DG OS HSM Macro	19147 SN105-F	21130 Extension ring 30 with lock	18701 Macro port 60		
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set *Support both Standard and Cine version	21271 Extension ring 70 w/ knob	16336 N120 Port adaptor for Laowa 24mm f/14 2x macro probe		
	Nikon AF-S DX Micro NIKKOR 40mm f/2.8D DX	19152 N40G-F		18705 Macro port 45	86201 Macro to Wideangle Lens 1 Converted FOV: 150° (On APS-C)	
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F		18701 Macro port 60	86201 Macro to Wideangle Lens 1 Converted FOV: 150° (On FF) Optional accessory: 86222 Double flip holder for MWL-1	
STANDARD / ZOOM	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	19123 N1855VR-Z	18211 Compact port base	18301 Compact port 30		
	Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	19124 N1855II-Z	18211 Compact port base	18301 Compact port 30		
	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	19144 N1855VRII-Z	18211 Compact port base	18304 Compact port 15 with M67 thread	86201 Macro to Wideangle Lens 1 Workable range: 40-55mm FOV: 135° ~ 88° (On APS-C)	
			21135 Extension ring 35 with lock			85201(*1) 0.36x Wide Angle Conversion Port Converted FOV: 130° ~ 50° (On APS-C)
	Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	19139 N2485-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
	Sigma 17-70mm F2.8-4.5 DC Macro HSM	19132 SN1770-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
	Sigma 17-70mm F2.8-4 DC Macro OS HSM	19133 SN1770OS-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
	Sigma 17-70mm	19140	21140	18802		

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
 F2.8-4 DC Macro OS HSM C	SN1770OSC-Z	Extension ring 40 with lock	8.5" Acrylic dome port		

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
WIDEZOOM	Sigma 18-35mm F1.8 DC HSM A	19146 SN1835f1.8-Z	21180 Extension ring 80 with lock 21150+21150 Extension ring 50+50 21180 Extension ring 80 with lock 21180 Extension ring 80 with lock	18802 8.5" Acrylic dome port 18815 250mm Optical glass wide angle port II 18812 230mm Optical glass fisheye port II 18809 (*1) 180mm Optical glass wide angle port		
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	19148 N2870f3.5D-Z	21135 N120 Extension ring 35 with lock			85201(*1) 0.36x Wide Angle Conversion Port Converted FOV: 130° ~ 59° (On FF-F)
	Nikon AF-S Nikkor 28mm f/1.8 G		21120 N120 Extension ring 20 with lock			85201 0.36x Wide Angle Conversion Port FOV : 130° (On FF-F)
	Nikon AF Nikkor 28mm f/2.8D					85201 0.36x Wide Angle Conversion Port FOV : 130° (On FF-F)
	Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	19135 N1024-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
	Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	19125 N1224-Z	21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port		
	Nikon AF-S NIKKOR 14-24mm f/2.8G ED	19131 N1424-Z	21170 Extension ring 70 with lock 21180 Extension ring 80 with lock 21180 Extension ring 80 with lock	18802 8.5" Acrylic dome port 18815 (*1) 250mm Optical glass wide angle port II 18812 230mm Optical glass fisheye port II		
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z	21170 Extension ring 70 with lock 21190 Extension ring 90 with lock 21190 Extension ring 90 with lock 21180 Extension ring 80 with lock 21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port 18815 250mm Optical glass wide angle port II 18812 (*1) 230mm Optical glass fisheye port II 18809 180mm Optical glass wide angle port		85201 0.36x Wide Angle Conversion Port * zoom from 18 mm

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS		GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
						Converted FOV: 130° ~ 78° (On APSC-F)
WIDE / ZOOM	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z	21150 Extension ring 50 with lock *slightly vignetting at 16mm			85204 Wide Angle Conversion Port - 2 Converted FOV: 128° ~ 72° (On FF-F)
		19142 N1635-F	21270 Extension ring 70 with lock	18802 8.5" Acrylic dome port		
			21240 N120 Extension ring 40 with focus knob			85204 Wide Angle Conversion Port - 2 Converted FOV: 128° ~ 72° (On FF-F)
	Nikon AF-S 17-35mm f/2.8D IF-ED	19130 N1735-Z	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port		
			21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II		
			21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21150 Extension ring 50 with lock			85201 0.36x Wide Angle Conversion Port * zoom from 18 mm Converted FOV: 130° ~ 78° (On APSC-F)
			21130 Extension ring 30 with lock			85204 Wide Angle Conversion Port - 2 Converted FOV: 123° ~ 72° (On FF-F)
	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	19141 N1835-Z	21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port		
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II		
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port		
			21140 Extension ring 40 with lock			85201 0.36x Wide Angle Conversion Port Converted FOV: 130° ~ 78° (On APSC-F)
	Sigma 8-16mm F4.5-5.6 DC HSM	19136 SN816-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
			21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II		
			21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II		

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
		21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port		

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS		GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
WIDE / ZOOM	Sigma 10-20mm F4-5.6 EX DC HSM	19126 SN1020-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
			21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II		
			21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port		
	Sigma 14-24mm F2.8 DG HSM Art	19153 SN1424A-Z	21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port		
			21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm Optical glass wide angle port II		
			21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II		
			21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm Optical glass wide angle port		
	Sigma 12-24mm F4 DG HSM Art	19149 SN1224A-Z	21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II		
			21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm Optical glass wide angle port II		
	Sigma 20mm F1.4 DG HSM A		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port		
			21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II		
			21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port		

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
WIDE / ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19128 TN1116-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II		
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port		
	Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19134 TN1224-Z	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port		
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II		
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II		
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port		
	Zeiss Distagon T* 2.8/15 ZF.2	19145 ZN15-F	21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm Optical glass fisheye port II		
	Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED	19150 N815-Z	21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port		
			21130 Extension ring 30 with lock	18803 4.33" Acrylic dome port		
			21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II		
			21120 Extension ring 20 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade		
FISHEYE / ZOOM	Nikon AF-S Fisheye 8-15mm f/3.5-4.5E ED with Kenko 1.4x Teleplus Pro 300 DGX	19151 N815-Z + 1.4	21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port		
			21150 Extension ring 50 with lock	18803 4.33" Acrylic dome port		
			21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II		
			21140 Extension ring 40 with lock	18811 (*1) N120 140mm Optical glass fisheye		

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS

GEAR

PORT BASE / EXTENSION RING

LENS PORT

WET MACRO / WIDE LENS

WIDE CONVERSION PORT

port wiith removable shade

N120 PORT SYSTEM FOR NIKON F SYSTEM

FISHEYE / ZOOM	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
	Nikon AF DX Fisheye 10.5mm f/2.8G ED	19137 N10.5-F		18802 8.5" Acrylic dome port		
			21110 Extension ring 10 with screws	18803 4.33" Acrylic dome port		
				18812 230mm Optical glass fisheye port II		
				18810 (*1) N120 140mm Optical glass fisheye port		
	Nikon AF Fisheye 16mm f/2.8D			18802 8.5" Acrylic dome port		
				18812 230mm Optical glass fisheye port II		
				18810 (*1) N120 140mm Optical glass fisheye port		
	Sigma 10mm F2.8 EX DC HSM Fisheye		21110 Extension ring 10 with screws	18802 8.5" Acrylic dome port		
	Sigma 15mm F2.8 EX DG Diagonal Fisheye	19143 SN15-F		18802 8.5" Acrylic dome port		
				18812 230mm Optical glass fisheye port II		
				18810 (*1) N120 140mm Optical glass fisheye port		
	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19127 TN1017-Z		18804 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye		
			21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port		
			21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II		
			21110 Extension ring 10 with screws	18810 (*1) N120 140mm Optical glass fisheye port		

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE / EXTENSION RING	LENS PORT	WET MACRO / WIDE LENS	WIDE CONVERSION PORT
FISHEYE / ZOOM	Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19227 TN1017-Z+1.4	21120 Extension ring 20 with lock	18804 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye		
			21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port		
			21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II		
			21130 Extension ring 30 with lock	18810 (*1) N120 140mm Optical glass fisheye port		